

X200 EARMUFFS

X200

X200 Earmuffs, Class 5 hearing protection for noise levels to 110 dB(A)

Durable, great protection and comfort

Hearing protection for noise levels to 110 dB(A)

Meets AS/NZS 1270:2002 safety standards



AS/NZS 1270 SAI GLOBAL



Real - Ear Attenuation Table

Octave Band Centre Frequency (Hz)	125	250	500	1,000	2,000	4,000	8,000
Band Reference Levels	71	81	89	93	95	93	86
Mean Attenuation, dB	11	18	25	32	31	34	35
Standard Deviation, dB	5	3	3	4	4	3	3
Mean-Standard Deviation, dB	6	15	21	28	27	31	32
In Ear Levels	61.9	66.3	63.6	57.1	65.0	63.9	55.5
SLC80	26dB						
Class	5						
Mass	190 grams						

Hearing Protector class 5 tested to AS/NZ1270. When selected, used and maintained as specified in AS/NZS1269, this protector may be used in noise up to 110dB(A) assuming an 85dB(A) criterion. A lower criterion may require a higher protector class. For full details of methods of selecting a hearing protector, see AS/NZ1269.3. The reported attenuation will be obtained only if the protector is in good condition and worn as directed.

CAUTION: Noise reduction will be adversely affected by anything that impairs the seal of the earmuff cushions against the head, such as thick spectacle frames, balaclavas, etc.

CLEANING AND MAINTENANCE: Wipe down with warm soapy water after each use.

FEATURES

- + Class 5, hearing protection for noise levels to 110 dB(A)
- + Durable, great protection and comfort
- + Meets AS/NZS 1270:2002 safety standards
- + Packaged in header-carded polybag

SUITABLE FOR

- + DIY
- + Trades